



ProEdge Slim | A solid cut, sleek, low-profile letter precision cut with uniform edge lighting through a bevel cut acrylic backer. These letters are ideal for small to medium scale letters with close-up viewing, for interior or exterior use.

Tags: exterior, interior, low-profile, close-up viewing, high-end, classy, versatile, lobby logo, economical




ProEdge Solid | A premium solid cut sleek letter precision cut with a perfectly flush edge lighting through a thick white diffused acrylic backer. These letters are ideal for medium to large scale letters, for exterior or interior use.

Tags: exterior, interior, diffusion, precise, premium, high-end, classy, versatile, lobby, storefront




ProFace | A vibrantly illuminated low-profile letter, precision cut with a trimless acrylic face. These letters are ideal for small to medium size letters with close-up viewing, for interior or exterior use.

Tags: interior, exterior, brightness, trimless, precise, premium, low-profile, lobby, storefront




ProHalo Welded | A hollow fabricated letter from heavy gauge aluminum, containing LED illumination which escapes the back of the letter and floods the building surface. These letters are engineered and built for large scale applications at any elevation, for exterior use.

Tags: Exterior, large scale, High Rise Buildings, Wind Resistance, long-distance visibility, elegant




ProHalo Solid | A solid cut routed letter from a high density urethane board with embedded LED lighting directed at the building surface. Our unique solid letter construction provides superior efficiency and flexibility in design, with uncompromised durability. Routed in standard depths of 1-½ inch or 2 inch, including prismatic or beveled face cuts. These letters are ideal for medium to large size applications for exterior use on non-reflective, light colored surfaces.

Tags: Exterior, Efficient, elegant, textured surfaces




ProFab | A front illuminated, heavy duty welded letter construction using rigid retainer framing and high impact faces. Formed in standard 5" and 8" depths. These letters are ideal for large scale and/or highly elevated applications for exterior use.

Tags: Exterior, Large Scale, High Rise Buildings, Wind Resistance, long-distance visibility, prominent



ProForm | A hollow, precisely formed, letter using our state-of-the-art automated bending and cutting processes. Formed in standard depths of 3" or 5". The letters are ideal for average sized storefront applications for exterior or interior use.

Tags: Exterior, Interior, high volume, typical storefronts, distance viewing

**Description:**

A solid cut, sleek, low-profile letter precision cut with uniform edge lighting through a bevel cut acrylic backer.

These letters are ideal for small to medium scale letters with close-up viewing, for interior or exterior use.

Exposure: Interior & Exterior

Common Usage:

Low-profile, close-up viewing, high-end, classy, versatile, lobby logo, economical

Specifications



Over All Letter Depth: 1 ½"


Signage Material: PVC, Acrylic

Character Font: Full Range

Color: Pantone Matching /
Ace Standard Colors

Lighting: Layered Composite LED
Modules (IP 68)



**Description:**

A premium solid cut sleek letter precision cut with a perfectly flush edge lighting through a thick white diffused acrylic backer. These letters are ideal for medium to large scale letters, for exterior or interior use.

Exposure: Interior & Exterior

Common Usage:

diffusion, precise, premium, high-end, classy, versatile, lobby, storefront

Specifications

Over All Letter Depth: 2"


Signage Material: PVC, Acrylic

Character Font: Full Range

Color: Pantone Matching /
Ace Standard Colors

Lighting: Layered Composite LED
Modules (IP 68)



**Description:**

A vibrantly illuminated low-profile letter, precision cut with a trimless acrylic face. These letters are ideal for small to medium size letters with close-up viewing, for interior or exterior use.

Exposure: Interior & Exterior

Common Usage:

Brightness, trimless, precise, premium, low-profile, lobby, storefront

Specifications

Over All Letter Depth: 1 ½"


Signage Material: PVC, Acrylic

Character Font: Full Range

Color: Pantone Matching /
Ace Standard Colors

Lighting: Layered Composite LED
Modules (IP 68)



**Description:**

A hollow fabricated letter from heavy gauge aluminum, containing LED illumination which escapes the back of the letter and floods the building surface. These letters are engineered and built for large scale applications at any elevation, for exterior use.

Exposure: Exterior

Common Usage:

Large scale, High Rise Buildings, Wind Resistance, long-distance visibility, elegant

Specifications

Over All Letter Depth: 3" / 5"


Signage Material: Aluminum,
Polycarbonate

Character Font: Full Range

Color: Pantone Matching /
Ace Standard Colors

Lighting: Embedded LED Modules
(IP 68)



**Description:**

A solid cut routed letter from a high density urethane board with embedded LED lighting directed at the building surface. Our unique solid letter construction provides superior efficiency and flexibility in design, with uncompromised durability. Routed in standard depths of 1-½ inch or 2 inch, including prismatic or beveled face cuts. These letters are ideal for medium to large size applications for exterior use on non-reflective, light colored surfaces.

Exposure: Exterior

Common Usage:

Efficient, elegant, textured surfaces

Specifications

Over All Letter Depth: 2"


Signage Material: HDU

Character Font: Full Range

Color: Pantone Matching /
Ace Standard Colors

Lighting: Embedded LED Modules
(IP 68)



**Description:**

A front illuminated, heavy duty welded letter construction using rigid retainer framing and high impact faces. Formed in standard 5" and 8" depths. These letters are ideal for large scale and/or highly elevated applications for exterior use.

Exposure: Exterior

Common Usage:

Large Scale, High Rise Buildings, Wind Resistance, long-distance visibility, prominent

Specifications


Over All Letter Depth: 3" / 5"


Signage Material: Aluminum,
Polycarbonate

Character Font: Full Range

Color: Pantone Matching /
Ace Standard Colors

Lighting: Enclosed LED Modules
(IP 68)



**Description:**

A hollow, precisely formed, letter using our state-of-the-art automated bending and cutting processes. Formed in standard depths of 3" or 5". The letters are ideal for average sized storefront applications for exterior or interior use.

Exposure: Interior & Exterior

Common Usage:

High volume, typical storefronts, distance viewing

Specifications

Over All Letter Depth: 3" / 5"

Signage Material: Aluminum, Acrylic

Character Font: Full Range

Color: Pantone Matching /
Ace Standard Colors

Lighting: Enclosed LED Modules
(IP 68)

